

GARAGE DOORS



ACCENT the beauty of YOUR HOME

A guide to choosing a garage door as beautiful as your home



Clopay, the right choice for your home.

- Clopay is North America's largest and most trusted garage door brand
- A garage door can represent as much as 30% of your home's front façade, which makes choosing the right design especially important and Clopay has the widest selection available
- Clopay garage doors are designed and manufactured in the USA





DESIGN, VISUALIZE AND PURCHASE A NEW CLOPAY GARAGE DOOR

Use the Garage Door Configurator to design from any of your devices

Upload a photo of your home.

See which style offers you the look you want. With just a few simple clicks, you can visualize the transformation and make it a reality.



homedepot.com/garagedoors







CHOOSE YOUR GARAGE DOOR SIZEGarage door sizes are generally categorized as single or double car doors





Double Car Door



CHOOSE YOUR GARAGE DOOR

CANYON RIDGE® CARRIAGE HOUSE 4-LAYER

- Stained wood-look steel doors with composite overlays
- Available in our BEST construction

COACHMAN®



- Painted wood-look steel doors with composite overlays
- Available in our GOOD and BEST construction options

GALLERY® STEEL



- Grooved panel steel doors
- Available in our BASIC, GOOD, BETTER and BEST construction options

CLASSIC[™] STEEL



- Classic raised panel steel doors
- Available in our BASIC, GOOD, BETTER and BEST construction options

CHOOSE YOUR CONSTRUCTION

The construction and insulation type improves energy efficiency, durability and noise control of the door









ENERGY DURABILITY NOISE EFFICIENCY CONTRO CONTROL

Our **BEST** construction is made using 2" Intellicore® insulation between two layers of steel. $R-Value^* = 18.4$











Our **BETTER** construction is made using 1-3/8" Intellicore® insulation between two layers of steel. R-Value* = 12.9

GOOD









Our GOOD construction is made using 1-3/8" polystyrene insulation between two layers of steel. $R-Value^* = 6.5$









ENERGY DURABILITY NOISE **EFFICIENCY** CONTROL

Our BASIC construction is made using one layer of durable steel. $R-Value^* = 0.0$

*Calculated door section R-value is in accordance with DASMA TDS-163.

DESIGN, VISUALIZE AND PRICE

Design your door in store or in your home



homedepot.com/garagedoors


















intellic@re® insulation technology



ENERGY EFFICIENCY Provides year-round comfort



18 4 R-VALUE Highest R-value in its class



NOISE CONTROL Dense insulation reduces operating noise



THERMAL BREAK Separates steel skins to improve energy efficiency



DURABILITY Enhanced strength increases durability



RUST PREVENTION Layered coating system helps protect steel skins


Available on the following garage doors:



CANYON RIDGE®

COACHMAN®

GALLERY® STEEL CLASSIC™ STEEL



MEDALLION™ HARDWARE UPGRADE

UPGRADE, PROTECT AND EXTEND

the Life of Your Garage Door

UPGRADED HARDWARE

- Nylon ball bearing rollers for quiet, long-lasting operation
- Heavy-duty QuietFlex[™] 14 gauge hinges for smooth worry-free operation
- Extended life cycle springs

Along with upgraded hardware you receive extended warranties. See below for what is included on a standard door versus a door purchased with the Medallion™ Upgrade.



ROLLERS

INCLUDED

3 YearLimited
Warranty

Standard Rollers MEDALLION™ UPGRADE



Heavy-Duty Ball Bearing Rollers

HINGES

INCLUDED



Standard 18 Gauge Hinges

MEDALLION™



Heavy-Duty QuietFlex™ 14 Gauge Hinges

SPRINGS

INCLUDED




Spring



Extended Life Cycle Springs

CANYON RIDGE® CARRIAGE HOUSE



AVAILABLE DESIGNS

Series 1



Design 11



Design 12



Design 13

Series 2



Design 21



Design 22





Design 23

Series 3



Design 31



Design 34



Design 32

Design 35





Design 36




Design 38

All doors shown in Medium Finish with Clear Cypress overlays.






AVAILABLE OPTIONS




Window grilles are Clear Cypress texture. Windows not available on Designs 31, 32, 33, 34, 35, 36, 37 and 38. Standard windows available on the following widths only: 6'2", 8'0", 9'0", 10'0", 10'2", 12'0", 12'2", 13'6", 15'0", 15'2", 15'6", 15'8", 16'0", 16'2", 18'0", 18'2", 20'0", 20'2".



COACHMAN®



AVAILABLE DESIGNS







18.4 R-Value


R-Value

CXU MODELS

2" Intellicore® Polyurethane Insulation **CF MODELS** 1-3/8" Polystyrene Insulation

AVAILABLE OPTIONS

Top Section/Window Options



Series 3 and 4 not available with windows. Windows are standard with 1/8" double strength clear glass or optional obscure glass with removable insert grilles.

ARCH1 (Solid)

TOP13 (Solid)

Standard White Almond Desert Tan Sandtone

Door and overlay colors may be mixed and matched. Due to the printing process, colors may vary.

IMPORTANT: For doors being painted black and very dark colors (having an LRV of 12 or less) contact us
for special product. For colors having an LRV of 13 to 38 we require the use of tested and approved paints.

A list of tested and approved paints can be found at: http://info.garagedoors.com/lrv.



Spade Lift Handles Step Plate






Warranties








GALLERY® STEEL



AVAILABLE DESIGNS



Warranties



GR2SU/GR2LU/ GR1SU/GR1LU/ GR1SP/GR1LP/






ALL MODELS

AVAILABLE OPTIONS




Escutcheon Plates




ADDITIONAL OPTIONS

Wrought Iron ARCH



DECORATIVE HARDWARE






		Availability			
	Hardware Description Numbers below correspond with images on page 15	COACHMAN®	CANYON RIDGE [®] Carriage House 4-layer	GALLERY® STEEL	
1	Standard Spade Lift Handles	V	V	~	
2	Standard Spade Step Plate	V	V	~	
3	Spade Strap Hinge*	V	V	~	
4	Twisted "L" Handles	V	V	~	
5	Twisted "T" Handle			~	
6	Escutcheon Plate(s)	V	V	~	
7	Spear Lift Handles	V	V	~	
8	Spear Step Plate	V	V	~	
9	Spear Strap Hinge*	V	V	~	
10	Colonial Lift Handles	V	V	~	
11	Colonial Step Plate	V	V	V	
12	Colonial Strap Hinge*	V	V	V	
13	Decorative Handles with Keyhole	V	V		
14	Ring Door Knocker	V	V		

^{*}Door may not open properly if installed near the top, depending on opening dimensions and lift type.

Attractive black powder coated handles and step plates are provided standard to further enhance the carriage house design. Optional antique hardware, including handles, operable L-keylocks and strap hinges, are available to provide the look of a classic carriage house door.



CLOPAY STEEL paint colors


Now you are able to match your home's exterior trim, windows, doors or other accents to any of the sixteen Clopay steel garage door colors! Visit the Paint Desk at The Home Depot and give them the CBP code to get an exact color match in BEHR MARQUEE®, BEHR ULTRA™



or BEHR PREMIUM PLUS® exterior paint. (BEHR, GOOD. BETTER. BEHR, BEHR MARQUEE, BEHR ULTRA and BEHR PREMIUM PLUS are trademarks of Behr Process Corporation of California.)

White CBP-1	Almond CBP-2	Desert Tan CBP-3	Sandtone CBP-4	Bronze CBP-9	Chocolate CBP-5	Mocha Brown CBP-11	Hunter Green CBP-6
Gray CBP-7	Charcoal CBP-17	Black CBP-8	Medium Finish CBP-15	Cherry Finish CBP-12	Dark Finish CBP-13	Walnut Finish CBP-14	Slate Finish CBP-16

CLASSIC STEEL



AVAILABLE DESIGNS



Traditional


Panel Detail

Elegant

Panel Detail


AVAILABLE OPTIONS





ADDITIONAL OPTIONS

HDP13/HDPL13/ 2050/2053



WINDOWS

Plain Series



Plain Short



Plain Long

- Available in non-insulated single pane glass, clear acrylic or obscure glass on any model
- Insulated double pane glass and obscure glass available on Classic™ Steel Models HDP20, HDPL20, HDP13 and HDPL13 only

Snap-In Series



Charleston 508



Prairie 510



Colonial 509



Charleston 608



Prairie 610



Stockton 612



Madison 611



Sunset 501 (4, 6, 8 or 10 panels across)



Sunset 502 (3, 6 or 9 panels across)



Madison Arch 613



Sunset 503 (4 or 8 panels across)



Sunset 601 (2, 3, 4 or 5 long panels across)



Sunset 505 (8 panels across only)



Sunset 506 (5 or 10 panels across)



Sunset 504 (7 panels across only)



Sunset 603 (2 or 4 long panels across)



Sunset 605 (4 long panels across)

- Snap-In inserts are made of tough UV-protected plastic
- Inserts snap into the inside or outside frame of plain windows, changing the look in minutes
- Inserts come in 15 colors to match the color of the door; Sunset windows not available on Ultra-Grain® finish doors Due to the printing process, colors may vary.

Architectural Series



Plain Short



Short with Rectangular Grilles



Short with Square Grilles



Plain Long



Long with Rectangular Grilles



Long with Square Grilles



ARCH1 Plain



ARCH1 with Vertical Grilles



ARCH1 with Grilles



ARCH2 Plain



ARCH2 with Vertical Grilles



ARCH2 with Grilles



Trenton® Short*



Trenton® Long*











Kristin® Long*



Wrought Iron Short[†]

Wrought Iron Long[†]



Kristin® Short*

Clayton™ Short*



Clayton™ Long*



Wrought Iron ARCH[†]

- Architectural Series windows feature a larger viewing area
- Insulated glass available on Classic™ Steel Models HDP20, HDPL20, HDP13 and HDPL13 only
- *Classic, elegant leaded design provides privacy while allowing sunlight to pass through.
 †Wrought Iron acrylic windows not available insulated.

Acrylic windows require special cleaning. Never use products that contain ammonia or petroleum products to clean acrylic. Please visit clopaydoor.com/acrylic for complete details.

Window Location



Top Section




- Second from Top
- Short windows available over short and flush panels (all widths)
- Long windows available over long panels (all widths)
- Long windows available over short and flush panels (8', 9', 16' and 18'* widths only)
- Most windows come standard in top section
- Most windows available in top and second from top section
- *18' not available on Model 2050.



EXPLORE more door options











CONSIDER a commercial door







Explore all of the garage door designs and insulation options Clopay has to offer.

See a store associate or scan here to view the Clopay garage door configurator.



HomeDepot.com/GarageDoors






PROFESSIONAL INSTALLATION

Let Our Qualified Experts Install Your Door

Professional Installation Includes:















What To Expect

- Order your new garage door (Visit, Click or Call)
- We'll perform a site inspection to confirm your door size
- We'll contact you to schedule the installation
- Many popular sizes and models* installed within 10 days after site inspection
- Custom "made-to-order" garage doors installed within 4 weeks after site inspection

*Ask an Associate for model and size availability in your market.

*Clean up and haul away old door(s) and answer homeowner's questions. Additional fees for haul away may apply in some markets.

INSTALL-IT-YOURSELF

Need a Door Today?

- Ask an Associate for our selection of "In-Stock" doors
- Load it up and take it home today



Want a "Custom" Look for Your Home?

- Bring in your measurements and choose from thousands of styles, sizes and options
- We'll deliver your door in 4 weeks, FREE HOME DELIVERY included



HOME

Let us do it for you.

SERVICES

PURCHASE OPTIONS







CALL


Visit your local Home Depot store

Go to HomeDepot.com/GarageDoors

Call 1-800-HOMEDEPOT (466-3337)

SPECIAL In-Stock doors not available in every market. Additional fees apply for deliveries greater than 30 drive miles from store location. Please note that Bridgeport™ Steel, Reserve® Wood, Canyon Ridge® and Avante® doors are available ONLY professionally installed.

HOW TO MEASURE YOUR DOOR



1. Measure existing door width and height in feet and inches. This determines the size of door needed. The rough opening should be the same size as the door.

Width: Height:

2. Measure for sideroom: 4-1/2" is required on each side for installation of the vertical track for standard extension or torsion springs, or EZ-SET $\!\!^{\tiny{\circledR}}$ torsion spring. 5-1/2" is required for EZ-SET® extension spring.

Sideroom: Existing headroom:

3. Measure area labeled "headroom" – distance between the top of the door opening (jamb header) and the ceiling or lowest obstruction (e.g., opener, beams or light fixtures). 10" is required for standard installation of extension springs and EZ-SET® extension spring; 12" on standard torsion springs and EZ-SET® torsion spring. 14-1/2" of headroom required for carriage house doors. If you have restricted headroom, special hardware is available. Low headroom hardware is available to reduce requirement to as low as 4-1/2" (minimum with standard extension spring or EZ-SET® extension spring). EZ-SET® torsion spring low headroom requirement is 9". Note: If door height extends above the opening, the headroom measurement should be adjusted accordingly.

Headroom needed:

4. Measure area labeled "backroom" distance is measured from the garage door opening toward the back wall of the garage.

Backroom:

Common garage door sizes include 8' wide \times 7' high, 9' wide \times 7' high, and 16' wide × 7' high. Clopay manufactures most doors in nearly any size you require.

Follow us on 📢 🖸 💆 👂 🛅 in 🌀 🚟 MADE IN USA